

L Number	Hits	Search Text	DB	Time stamp
1	2	713/2.ccls. and bios and user with authenticat\$4 and releas\$4 with key and (combin\$4 join\$4 pair\$4) with key and decrypt\$4 and trusted same boot	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 14:46
-	75857	((boot near process) bios)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:31
-	605	((boot near process) bios) and user with authenticat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:33
-	44	((boot near process) bios) with user with authenticat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:32
-	4	((boot near process) bios) with user with authenticat\$4 and releas\$4 with key\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:32
-	1	((boot near process) bios) with user with authenticat\$4 and releas\$4 with key\$4 with token	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:32
-	470	((boot near process) bios) and user with authenticat\$4 and input with output	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:33
-	1	((boot near process) bios) and user with authenticat\$4 and input with output and releas\$4 with keying adj material	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:34
-	28	((boot near process) bios) and user with authenticat\$4 and input with output and releas\$4 with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:34
-	19	((boot near process) bios) and user with authenticat\$4 and input with output and releas\$4 with key and combin\$4 with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:34
-	2	((boot near process) bios) and user with authenticat\$4 and input with output and releas\$4 with key and combin\$4 with key and decrypt\$4 with bios	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:35
-	1	((boot near process) bios) and user with authenticat\$4 and input with output and releas\$4 with key and combin\$4 with key and decrypt\$4 and recover\$4 with bios	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:35
-	2	((boot near process) bios) and user with authenticat\$4 and input with output and releas\$4 with key and combin\$4 with key and decrypt\$4 and recover\$4 and bios adj code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:37
-	18	((boot near process) bios) and user with authenticat\$4 and input with output and releas\$4 with key and combin\$4 with key and decrypt\$4 and recover\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:37
-	2	((boot near process) bios) and user with authenticat\$4 and input with output and releas\$4 with key and combin\$4 with key and decrypt\$4 and recover\$4 and bios with code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:37
-	19	((boot near process) bios) and user with authenticat\$4 and input with output and releas\$4 with key and combin\$4 with key and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:41

-	17	((boot near process) (basic adj input adj output adj system)) and user with authenticat\$4 and input with output and releas\$4 with key and combin\$4 with key and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:42
-	19	((boot near process) (basic adj input adj output adj system) (bios)) and user with authenticat\$4 and input with output and releas\$4 with key and combin\$4 with key and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:43
-	1	((boot near process) (basic adj input adj output adj system) (bios)) and user with authenticat\$4 and input with output and releas\$4 near key and combin\$4 near key and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:45
-	28	authentikat\$4 near user with bios	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:45
-	0	authentikat\$4 near user with bios and releas\$4 adj key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:46
-	0	authentikat\$4 near user with bios and releas\$4 adj key\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:46
-	0	authentikat\$4 with user with bios and releas\$4 adj key\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:46
-	2	authentikat\$4 with user with bios and releas\$4 near4 key\$	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:50
-	1304	combin\$4 near key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:50
-	273	combin\$4 near key and authentikat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:51
-	99	combin\$4 near key and authentikat\$4 near user	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:53
-	5	combin\$4 near key and authentikat\$4 near user and bios	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:51
-	55	combin\$4 near key and authentikat\$4 near user and input near output	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:54
-	2	combin\$4 near key and authentikat\$4 near user and input near output near system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 10:30
-	5	combin\$4 near key and authentikat\$4 near user and "bios"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:58
-	3507	bios and boot	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 15:58
-	174	bios and boot and user with authentikat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:00

-	59	bios and boot and user with authenticat\$4 and token	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:00
-	55	bios and boot and user with authenticat\$4 and token and key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:00
-	6	bios and boot and user with authenticat\$4 and token and key and releas\$4 with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:00
-	6	bios and boot and user with authenticat\$4 and token and key and releas\$4 with key and (combin\$4 join\$4) with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:03
-	6	bios and boot and user with authenticat\$4 and token and key and releas\$4 with key and (combin\$4 join\$4) with key and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:04
-	5	bios and boot and user with authenticat\$4 and token and key and releas\$4 with key and (combin\$4 join\$4) with key and decrypt\$4 and recover\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:07
-	2	bios with code and boot and user with authenticat\$4 and token and key and releas\$4 with key and (combin\$4 join\$4) with key and decrypt\$4 and recover\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:09
-	17	boot with process\$4 and user with authenticat\$4 and token and key and releas\$4 with key and (combin\$4 join\$4) with key and decrypt\$4 and recover\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:10
-	17	boot\$4 with process\$4 and user with authenticat\$4 and token and key and releas\$4 with key and (combin\$4 join\$4) with key and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:11
-	17	((boot\$up) (boot\$4 with process\$4)) and user with authenticat\$4 and token and key and releas\$4 with key and (combin\$4 join\$4) with key and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:12
-	17	((boot\$up) (boot\$4 with process\$4)) and user with authenticat\$4 and token and key and releas\$4 with key\$ and (combin\$4 join\$4) with key\$ and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:16
-	223	713/180.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:16
-	4	713/180.ccls. and bios	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:25
-	454	713/2,180.ccls. and bios	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:26
-	450	713/2.ccls. and bios	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:26
-	26	713/2.ccls. and bios and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:26
-	12	713/2.ccls. and bios and user with authenticat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:26

-	4	(713/2.ccls. and bios and decrypt\$4) and (713/2.ccls. and bios and user with authenticat\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:11
-	4	(713/2.ccls. and bios and decrypt\$4) and (713/2.ccls. and bios and user with authenticat\$4) and key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:26
-	0	(713/2.ccls. and bios and decrypt\$4) and (713/2.ccls. and bios and user with authenticat\$4) and key and (combin\$4 join\$4) with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/02 16:27
-	2	(713/2.ccls. and bios and decrypt\$4) and (713/2.ccls. and bios and user with authenticat\$4) and key and releas\$4 with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 11:20
-	12	713/2.ccls. and bios and user with authenticat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:12
-	2	713/2.ccls. and bios and user with authenticat\$4 and releas\$4 with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:12
-	2	713/2.ccls. and bios and user with authenticat\$4 and releas\$4 with key and (combin\$4 join\$4 pair\$4) with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:13
-	0	713/2.ccls. and bios and user with authenticat\$4 and releas\$4 with key and (combin\$4 join\$4 pair\$4) with key and decrypt\$4 with bios	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:13
-	0	713/2.ccls. and bios and user with authenticat\$4 and releas\$4 with key and (combin\$4 join\$4 pair\$4) with key and decrypt\$4 with recover\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:14
-	0	713/2.ccls. and bios and user with authenticat\$4 and releas\$4 with key and (combin\$4 join\$4 pair\$4) with key and decrypt\$4 with segment	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:14
-	0	713/2.ccls. and bios and user with authenticat\$4 and releas\$4 with key and (combin\$4 join\$4 pair\$4) with key and decrypt\$4 with code	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:14
-	2	713/2.ccls. and bios and user with authenticat\$4 and releas\$4 with key and (combin\$4 join\$4 pair\$4) with key and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 14:45
-	17	713/\$.ccls. and first adj bios and second adj bios	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:18
-	2	713/\$.ccls. and first adj bios and second adj bios and encrypt\$4 and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:21
-	28	713/\$.ccls. and first with bios and second with bios and encrypt\$4 and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:22
-	8	713/\$.ccls. and first with bios and second with bios and encrypt\$4 and decrypt\$4 and recover\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:23
-	1	713/\$.ccls. and first with bios and second with bios and encrypt\$4 and decrypt\$4 and recover\$4 and token	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:23

-	1	713/\$.ccls. and first with bios and second with bios and encrypt\$4 and decrypt\$4 and token and releas\$4 with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:24
-	1	713/\$.ccls. and first with bios and second with bios and encrypt\$4 and decrypt\$4 and token and combin\$4 with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:24
-	4	713/\$.ccls. and first with bios and second with bios and encrypt\$4 and decrypt\$4 and token	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 09:54
-	3	713/\$.ccls. and first with bios and second with bios and encrypt\$4 and decrypt\$4 and token and user with authenticat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 10:04
-	3	713/\$.ccls. and releas\$4 with key\$4 with token	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 10:05
-	31	releas\$4 with key\$4 with token	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 10:07
-	2	releas\$4 with key\$4 with token and user with authenticat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 10:06
-	3	releas\$4 with key\$4 with token and authenticat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 10:06
-	2	releas\$4 with key\$4 with token and (combin\$4 join\$4 with key) and bios	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 10:08
-	1	releas\$4 with key\$4 with token and (combin\$4 join\$4 with key) and decrypt\$4 and recover\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 10:09
-	3	releas\$4 with key\$4 with token and (combin\$4 join\$4 with key) and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 10:09
-	4	releas\$4 with key\$4 with token and (combin\$4 join\$4 with key) and recover\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 10:09
-	11	releas\$4 with key\$4 with token and (combin\$4 join\$4 with key)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 10:13
-	978	key\$4 with token and (combin\$4 join\$4 with key)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 10:15
-	4	key\$4 with token and (combin\$4 join\$4 with key) and user with authenticat\$4 and decrypt\$4 and encrypt\$4 and bios and recover	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 10:21
-	2	key\$4 with token and (combin\$4 join\$4) with key and user with authenticat\$4 and decrypt\$4 and encrypt\$4 and bios and recover	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 10:22
-	5	bios adj code and first adj bios and second adj bios	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 11:25

-	27	bios adj code and first with bios with (segment section part portion) and second with bios with (segment section portion part)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 11:35
-	25	713/\$.ccls. and bios adj code and first with bios with (segment section part portion) and second with bios with (segment section portion part)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 11:37
-	10	713/\$.ccls. and load\$4 with bios adj code and first with bios with (segment section part portion) and second with bios with (segment section portion part)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 12:02
-	32299	"exclusive or"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 12:07
-	46	"exclusive or" with (combination joined pair) with key\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 12:07
-	14	713/\$.ccls. and "exclusive or" with (combination joined pair) with key\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 12:06
-	2	713/\$.ccls. and "exclusive or" with (combination joined pair) with key\$4 and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 12:06
-	2	"exclusive or" with (combination joined pair) with key\$4 and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 12:07
-	44	"exclusive or" and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 12:08
-	13	"exclusive or" and biometric with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 12:08
-	11	713/\$.ccls. and "exclusive or" and biometric with key	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 12:08
-	7	713/\$.ccls. and "exclusive or" with key and biometric with authenticat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/09/03 12:09